MEAL H 1,200 Ca	PLAN "A"
	 1 HERBALIFE® FORMULA 1 SHAKE + 1 FRUIT Example: 2 scoops (2 tablespoons) Formula 1 Shake Mix + 8 fl. oz. nonfat milk or soymilk + one half of a fresh mango OR: 1 PROTEIN UNIT + 1 FRUIT Examples: 7 egg whites (hard boiled or cooked with pan spray as an omelet) + ½ grapefruit OR:
LUNCH:	 1 cup nonfat cottage cheese + 1 cup pineapple 1 HERBALIFE® FORMULA 1 SHAKE + 1 FRUIT Example: 2 scoops (2 tablespoons) Formula 1 Shake Mix + 8 fl. oz. nonfat milk or soymilk + 1 cup strawberries OR: 1 PROTEIN UNIT + 2 VEGETABLES + SALAD + 1 FRUIT Example: 3 ounces roasted chicken breast AND 2 cups steamed broccoli AND 4 cups of salad greens with seasoned vinegar AND one large orange
P.M. SNACK:	 1 PROTEIN SNACK + 1 FRUIT Example: Herbalife[®] Protein Bar Deluxe + 1 medium apple
DINNER:	 2 PROTEIN UNITS + 2 VEGETABLES + SALAD + 1 GRAIN + 1 FRUIT Example: 8 ounces broiled fish with teriyaki sauce AND 1 cup steamed spinach + 1 cup steamed carrots AND mixed green salad AND ½ cup brown rice AND 1 cup mixed honeydew and cantaloupe cubes

LOSE A POUND A WEEK

Week 2: Meal Plans; Snacking; Water

If you cut 500 calories a day from your typical intake, you will lose a pound in a week's time. Look at some of the examples below. The more you cut, the more you lose!

EXAMPLE 1: An Herbalife[®] Formula 1 shake for breakfast vs. A blueberry muffin and a medium vanilla frappuccino

FOOD	CALORIES	FAT (GRAMS)
Muffin and medium frappuccino	930	33
Formula 1 shake with nonfat milk	180	1.5
You save: 750 calories and 31.5 grams of fat. If you typically ha	ave "just a muffin and co	offee" every day for

breakfast, you could lose 11/2 pounds a week just by making this one swap!

EXAMPLE 2: Herbalife® Roasted Soy Nuts with Cardia®* Salt vs. Peanuts

FOOD	CALORIES	FAT (GRAMS)
3/4 cup of peanuts, dry roasted	630	52
1 packet Herbalife [®] Roasted Soy Nuts with Cardia ^{®*} Salt	130	5
You save: 500 calories and 47 grams of fat		

EXAMPLE 3: Chicken breast vs. Red meat

FOOD	CALORIES	FAT (GRAMS)
6 oz. lean sirloin steak	660	29
3 oz. chicken breast	150	4
You save: 510 calories and 25 grams of fat		

EXAMPLE 4: Roast beef sandwich with cheese and mayonnaise vs. Turkey sandwich with vegetables and mustard

FOOD	CALORIES	FAT (GRAMS)
Roast beef sandwich + cheese, mayo	850	30
Turkey sandwich + vegetables, mustard	350	5
You save: 500 calories and 25 grams of fat		

*Cardia® is a registered trademark of Nutrition 21, Inc.

W E I G H T L O S S C H A L L E N G E

Week 2: Meal Plans; Snacking; Water					
LOSE A POUND A WE	EK (CONTINUED)				
EXAMPLE 5: French fries vs. Steamed vegetab	les				
FOOD 35 French fries	CALORIES 560	FAT (GRAMS) 28			
1 cup zucchini + 1 tablespoon Parmesan cheese You save: 500 calories and 26 grams of fat	60	2			
EXAMPLE 6: Large restaurant Chinese chicken 3 cups salad greens with 1 cup mixed fresh ver breast and 2 tablespoons light salad dressing					
		FAT (GRAMS) 61 11			
FOOD Chinese chicken salad Greens/vegetables/chicken + light dressing	CALORIES Up to 1000 320	61			
Chinese chicken salad	Up to 1000 320	61			
Chinese chicken salad Greens/vegetables/chicken + light dressing	Up to 1000 320	61			
Chinese chicken salad Greens/vegetables/chicken + light dressing	Up to 1000 320	61			
Chinese chicken salad Greens/vegetables/chicken + light dressing	Up to 1000 320	61			
Chinese chicken salad Greens/vegetables/chicken + light dressing	Up to 1000 320	61			
Chinese chicken salad Greens/vegetables/chicken + light dressing	Up to 1000 320	61			
Chinese chicken salad Greens/vegetables/chicken + light dressing	Up to 1000 320	61			

LOW-CALORIE SNACKS

Week 2: Meal Plans; Snacking; Water

Snacking doesn't have to be an unhealthy habit. It's not unusual to get hungry between meals-particularly if you have a long stretch in between. The key is planning ahead to make sure you have some healthy foods available, and ideally, you should combine some protein with a little carbohydrate to fill you up and keep you going. A protein-enriched beverage, a piece of string cheese and a piece of fruit, or a small carton of yogurt with a few low-fat crackers should do the trick.

HERE ARE SOME SNACK IDEAS-ALL UNDER 100 CALORIES:

- Nonfat latte made with nonfat milk or soy milk
- Mini pita bread with a quarter of an avocado
- Herbalife[®] Creamy Chicken Soup Mix
- Herbalife[®] Peach Mango or Wild Berry Beverage Mix
- Two rice cakes with one wedge light cheese
- One 100-calorie pudding cup
- 1/2 cup nonfat cottage cheese with 1/2 cup blueberries
- 1 ounce turkey jerky with one slice rye cracker
- One individual carton light nonfat yogurt with 1 tablespoon raisins
- Toasted whole-grain waffle with a sprinkle of cinnamon-sugar
- One stick mozzarella cheese with one sesame breadstick
- ³/₄ cup tomato soup made with nonfat milk
- Three hard-cooked egg whites mashed with a little Dijon mustard and a sliced tomato
- 15 baby carrots with 2 tablespoons fat-free ranch dressing
- 12 ounces tomato juice
- 10 soy crisps with a small peach
- One frozen fruit bar
- 1 cup whole strawberries with 1 tablespoon chocolate syrup

Week 2: Meal Plans; Snacking; Water

QUIZ: KNOW YOUR SNACKS

How much do you know about snacking habits? Snacking can be a healthy habit if you choose the right items and eat the right balance of foods for snacks to keep your energy level up. Unfortunately, many times we wait until we get the "snack attack," and don't choose as wisely as we should. Here are some questions to test how much you know about snacking.

1. What is America's favorite snack food, and how much of it do we eat every year?

- a. Pretzels, and we eat about 50 million pounds
- b. Peanuts, and we eat about 25 million pounds
- c. Cookies, and we eat about 700 million pounds
- d. Potato chips, and we eat about 1.2 billion pounds

2. What does the shape of the original pretzel twist represent?

- a. A child's playground game, similar to hopscotch
- b. A mother's arms holding a baby
- c. A person's arms crossed in prayer
- d. The coat of arms of the Hapsburg family in Germany, for whom the pretzel was invented

3. You are really craving something sweet. You run into the local food mart and find an array of pre-packaged goodies. Which of the following would have the fewest calories?

- a. A package of two frosted cupcakes
- b. A package of two crème-filled spongecakes
- c. A single-serve apple pie
- d. A single-serve pack of four powdered-sugar donuts

4. Popcorn can be a healthy snack, but you need to choose carefully. Which of the following popcorns have the MOST calories per cup?

- a. Cheese flavored
- b. Kettle-corn flavored
- c. Cinnamon-butter flavored
- d. Extra-butter flavored

5. Rice cakes can be the start of a healthy snack. The plain ones have only about 35 calories. To keep calories down, which of the following would be the best topping for your rice cake?

- a. 1 tablespoon of cream cheese
- b. 2 tablespoon of ricotta cheese and a sprinkle of cinnamon sugar
- c. 1 tablespoon of strawberry jam
- d. 1 tablespoon of peanut butter

W E I G H T L O S S C H A L L E N G E

		Plans	, 011		ıg,	vall																	
	ou are		-		thing	g sm	ooth	n an	d cr	eam	y. V	/hi	ch d	of t	he	fo	llov	vin	g c	hoi	ces	s ha	S
	ewest A sing				ina																		
	A sing					ding																	
	One 6																						
a.	Half a	banana	a with	a tab	lespc	on of	cnoc	olate	syru	0													
7. Yo	ou're ru	ımma	ging	g aro	und	the	hou	se f	or s	ome	thin	g t	o e	at.	Yo	u ł	nav	e tl	he	follo	owi	ing	
	able to			-								-										-	,
			hich	one	sho	uld y	/ou (cho	oseí														
	rie-wis		non																				
a.	Four fi	g bars		cker sl	heets																		
a.	Four fi	g bars grahan	n-crac	cker sl	heets																		
a. b. c.	Four fi Three	g bars grahan achio	n-crao nuts		heets	i																	
a. b. c. d.	Four fi Three 50 pis 2 ound	g bars grahan achio ces of k	n-crao nuts peef je	erky			/our	refr	iger	ator	tha	t la	ook	te	mp	tin	g fo	or a	a sr	nac	k.		
a. b. c. d. 8. Yc	Four fi Three 50 pis	g bars grahan achio ces of k e sev	n-crao nuts peef je eral	erky lefto	vers	s in y			-						-		-						
a. b. c. d. 8. Yc Whic a.	Four fi Three 50 pist 2 ound ou have ch of th A piec	g bars grahan achio i ces of k e seve ne fol e of las	n-crao nuts beef je eral lowi sagna	erky lefto ng w , abou	vers r ill u ıt 3 ir	s in y se u nches	p th	e fe	-						-		-						
a. b. c. d. 8. Yc Whic a.	Four fi Three 50 pist 2 ound ou have ch of th A piec Two fri	g bars grahan achio ces of t e seve ne fol e of las ed-chio	n-crao nuts peef je eral lowi sagna cken o	erky lefto ng w , abou drums	vers rill u ut 3 ir	s in y se u aches	p th squa	e fe re	-						-		-						
a. b. c. d. 8. Yc Whic a. b. c.	Four fi Three 50 pist 2 ound ou have ch of th A piec Two fri	g bars grahan achio ces of t e seven te fol e of las ed-chio of hom	n-crao nuts peef je eral lowi sagna cken o	erky lefto ng w , abou drums de mar	vers rill u ut 3 ir sticks caror	s in y se u aches	p th squa	e fe re	-						-		-						
a. b. c. d. 8. Yc Whic a. b. c. d.	Four fir Three 50 pis 2 ound bu have ch of th A piec Two fri 1 cup 1 cup	g bars grahan achio i ces of k e seve ne fol e of las ed-chio of hom of shrir	n-crao nuts Deef je eral lowi sagna cken cken iemac mp frie	erky lefto ng w , abou drums de mae ed rice	vers vill u ut 3 ir sticks caror	s in y se u nches ni and	p th squa chee	e fe re se	wes	t cal	orie	es f	ron	י y	oui	r ca	alor	ie	bud	dge	t?		
a. b. c. d. 8. Yc Whic a. b. c. d. 9. Sc	Four fi Three 50 pist 2 ound ou have th of th A piec Two fri 1 cup 1 cup	g bars grahan achio ces of b e seve ne fol e of las ed-chio of hom of shrir	n-crac nuts beef je eral lowi sagna cken cken chemac mp frie	erky lefto ng w , abou drums de mae ed rice we t	vers vill u ut 3 ir sticks caror e hink	s in y se u nches ni and	p th squa chee	e fe re se ung	wes ry, v	t cal ve're	orie • rea	es f	jus	ny∘ stt	hir	r ca sty	alor	∙ie yo	bud u tł	dge nink	t?	WOL	ıld
a. b. c. d. 8. Yc Whic a. b. c. d. 9. So	Four fir Three 50 pis 2 ound bu have ch of th A piec Two fri 1 cup 1 cup	g bars grahan achio ces of the e seven to fol as de fol	n-crac nuts peef je eral lowi sagna cken o bemac mp frie hen ink r	erky lefto ng w , abou drums de mae ed rice we t	vers vill u ut 3 ir sticks caror e hink	s in y se u nches ni and	p th squa chee	e fe re se ung	wes ry, v	t cal ve're	orie • rea	es f	jus	ny∘ stt	hir	r ca sty	alor	∙ie yo	bud u tł	dge nink	t?	woı	ıld
a. b. c. d. 8. Yc Whic a. b. c. d. 9. Sc some be th a.	Four fir Three 50 pist 2 ound ou have th of th A piec Two fri 1 cup 1 cup 0 metime thing ne best 12 our	g bars grahan achio i es of k e seve ne fol e of las ed-chio of shrir nes w to dr t choi nces of	n-crac nuts peef je eral lowi agna cken acken acken frid hen ink r icc? lemo	erky Iefto ng w , abou drums de mau ed rice we t migh	vers ill u ut 3 ir sticks caror e hink t he	s in y se u nches ni and a we'	p th squa chee	e fe re se ung	wes ry, v	t cal ve're	orie • rea	es f	jus	ny∘ stt	hir	r ca sty	alor	∙ie yo	bud u tł	dge nink	t?	woi	ıld
a. b. c. d. 8. Yc Whic a. b. c. d. 9. Sc some be th a. b.	Four fir Three 50 pist 2 ound ou have th of th A piec Two fri 1 cup 1 cup thing the best 12 our 12 our	g bars grahan achio ces of b e seven e fol e of las ed-chio of horr of shrir nes w to dr t choi nces of	n-crac nuts beef je eral lowi agna cken agna cken agna chemac np frid hen frid hen ink r ice?	erky lefto ng w , abou drums de made ed rice we t migh	vers rill u ut 3 ir sticks caror e hink t he uice	s in y se u nches ni and a we'	p th squa chee	e fe re se ung	wes ry, v	t cal ve're	orie • rea	es f	jus	ny∘ stt	hir	r ca sty	alor . If	∙ie yo	bud u tł	dge nink	t?	woi	ıld
a. b. c. d. 8. Yc Whic a. b. c. d. 9. Sc some be th a. b. c.	Four fir Three 50 pist 2 ound ou have th of th A piec Two fri 1 cup 1 cup 0 metime thing ne best 12 our	g bars grahan achio ces of b e seven te fol e of las ed-chio of hom of shrir tes w to dr t choi nces of nces of	n-crac nuts beef je eral lowi aggna cken o aemac chem frid hen frid hen ink r icc? i lemo grap	erky lefto ng w , abou drums de made ed rice we t nigh migh	vers till u ut 3 ir sticks caror hink t he uice uice	s in) se u nches ni and t we' Ip qu	p the squa chee re h	e fe re se ung	wes ry, v	t cal ve're	orie • rea	es f	jus	ny∘ stt	hir	r ca sty	alor . If	∙ie yo	bud u tł	dge nink	t?	woi	ıld

C H A L L E N G E

- a. One large soft pretzel
- b. One medium-sized fruit smoothie
- c. 1 cup of low-fat frozen yogurt
- d. A cup of chicken noodle soup from the deli

W E I G H T

L o s s

WATER WORKS

Week 2: Meal Plans; Snacking; Water

Drinking plenty of water is an important part of maintaining a healthy weight and a nutritious diet. Water plays an essential role in helping your body process nutrients, maintain normal circulation and keep the proper balance of fluids.

REPLACE WHAT YOU LOSE

After each 30-minute workout, drink two 8 oz. glasses of water to replenish your fluids. If you find you become thirsty while working out, consider using a sports bottle to help you stay hydrated while you exercise.

Because of their calorie content, soft drinks and fruit juices are not good choices for replacing lost fluids if you are trying to lose weight or manage your weight. You might try adding just a splash of fruit juice or a slice of lemon or lime to a glass of water if you don't like the taste of plain water.

HOW MUCH WATER IS ENOUGH?

As a general guideline, try to drink six to eight 8 oz. glasses of water a day. If you exercise, you will probably need to drink more to replenish the water lost through sweating.

You can usually trust your sense of thirst to let you know when you need to drink. Your sense of thirst, combined with simply paying attention to how many glasses of water you've had in a day, can help you to keep your body hydrated.

WHEN WATER ISN'T ENOUGH

The next time you're thirsty, it could be smart to think before you drink. While "you are what you eat," the phrase is more accurately "you are what you drink." Our bodies are about 60 percent water, and while watery foods can help meet our needs, most of our daily water needs are met from the fluids we drink. Aside from plain water, consumers are faced with a dizzying array of juices, juice drinks, vitamin-fortified waters, sports drinks, energy drinks and teas-making it difficult to choose the best beverage to help meet fluid needs.

For the average person who exercises moderately, plain water is a perfectly good choice. But many people prefer drinks with a little flavor, and tastier fluids may encourage consumption. And as exercise duration and intensity increase, it's important to not only replace fluid losses, but to replace body salts–such as sodium and potassium–that are lost with sweating.

WATER WORKS (CONTINUED)

LOOK BEFORE YOU DRINK

Week 2: Meal Plans; Snacking; Water

When evaluating beverages, a good place to start is by reading the nutrition facts label. For instance, sodas or fruit drinks are often high in calories and sugar, and low on nutrients. Not only can these empty calories pile on the pounds, the high-sugar concentration in sodas and fruit drinks can actually slow down the rate at which the body absorbs fluid. If you see high-fructose corn syrup at the top of the ingredient list, you may want to pass. Sugars other than fructose, in lower concentrations, are much better absorbed.

Some energy drinks have a combination of caffeine and sugar, designed to give you a quick spike in energy. But if you aren't used to consuming caffeinated drinks, these could make you jittery or upset your stomach.

So what should you look for? It's a good idea to check labels for electrolytes, such as sodium and potassium, which are salts that your body loses when you perspire. In addition to replacing losses, electrolytes can also add some flavor, which will encourage you to drink more. Also, look for drinks with less than 100 calories per 8 oz. serving. Higher calories means a higher sugar concentration; you also don't want to drink back the calories you just burned on the treadmill.

While too much sugar can be a problem, a little bit of carbohydrate in beverages can help to maintain blood sugar while you are exercising. Also, a mixture of several forms of carbohydrate in the drink helps to get carbohydrate into working muscle better than just one carbohydrate source.

A drink such as one made with Herbalife's H³O[®] Fitness Drink mix could be a good choice because it contains the right amount of readily absorbed carbohydrates, no caffeine, and the essential electrolytes people lose when they perspire. It comes in a powder that mixes easily with water, and is available either in a canister or in convenient single-serve "stick packs" that can be thrown in a bag or pocket and mixed in any water bottle.

	PLAN "B"												
1,500 Cal													
BREAKFAST:	 1 HERBALIFE[®] FORMULA 1 SHAKE + 1 FRUIT Example: 2 scoops (2 tablespoons) Formula 1 Shake Mix + 8 fl. oz. nonfat milk or soymilk + one half of a fresh mango OR: 												
	 1 PROTEIN UNIT + 1 FRUIT Examples: 7 egg whites (hard boiled or cooked with pan spray as an omelet) + ½ grapefruit OR: 1 cup nonfat cottage cheese + 1 cup pineapple 												
A.M. SNACK:	 1 PROTEIN SNACK Example: 1 Herbalife[®] Protein Bar Deluxe 												
LUNCH:	 1 HERBALIFE® FORMULA 1 SHAKE + 1 FRUIT Example: 2 scoops (2 tablespoons) Formula 1 Shake Mix + 8 fl. oz. nonfat milk or soymilk + 1 cup strawberries OR: 2 PROTEIN UNITS + 2 VEGETABLES + SALAD + 1 GRAIN + 1 FRUIT Example: 6 to 8 ounces roasted chicken or turkey breast, fish, tuna or shellfish AND 2 cups steamed green beans AND 4 cups of salad greens with light dressing AND ½ cup brown rice AND one large orange 												
P.M. SNACK:	 1 PROTEIN SNACK + 1 FRUIT Example: 1 packet Herbalife[®] Roasted Soy Nuts with Cardia^{®*} Salt + 1 medium apple 												
DINNER:	 2 PROTEIN UNITS + 2 VEGETABLES + SALAD + 1 GRAIN + 1 FRUIT Example: 6 to 8 ounces broiled fish with teriyaki sauce AND 1 cup steamed spinach + 1 cup steamed carrots AND tossed green salad with light dressing AND ½ cup brown rice AND 1 cup mixed melon cubes 												

Week 2: Meal Plans; Snacking; V	Nater		

STAYING HYDRATED

You may become dehydrated before you are actually thirsty. This is one reason that athletes learn to drink on schedule. Two cups of fluid a couple of hours before you start exercising should be followed with another cup or so 10 to 20 minutes before you start. A few ounces every 15 minutes or so when you are working out can help prevent excessive fluid losses. One way to monitor your hydration is to note the color of your urine. "People who are optimally hydrated should urinate every one to two hours," says Luigi Gratton, M.D., M.P.H., clinical physician at the University of California at Los Angeles (UCLA)*. "And your urine should be pale yellow or clear," says Gratton. "Darker color usually means more concentrated urine, an indication that you should increase your fluid intake."

Watch for other signs and symptoms of dehydration during exercise, such as muscle cramping, or feeling light-headed or faint. Even if you're only a weekend warrior, adequate fluids are important for a healthy, well-functioning body. If you think you drink less than you should, a flavorful beverage designed to help you hydrate might be just the thing to help meet your fluid needs.

* Titles are for identification purposes only. The University of California does not review, approve or endorse Herbalife® products.



L O S S C H A L L E N G E

ek 2: Meal Pla	ns; Snacking; Water
	PLAN "C"
1,800 Ca	IONES
BREAKFAST:	1 HERBALIFE [®] FORMULA 1 SHAKE + 1 FRUIT Example:
	• 2 scoops (2 tablespoons) Formula 1 Shake Mix + 8 fl. oz. nonfat milk or soymilk +
	one half of a fresh mango OR:
	1 PROTEIN UNIT + 1 GRAIN + 1 FRUIT
	 Examples: 7 egg whites (hard boiled or cooked with pan spray as an omelet) +
	½ whole-grain English muffin + ½ grapefruit OR:
	• 1 cup nonfat cottage cheese + 1 fat-free whole-grain waffle + 1 cup pineapple
A.M. SNACK:	1 PROTEIN SNACK + 1 FRUIT
	 Example: 1 Herbalife Protein Bar Deluxe + one medium apple
LUNCH:	1 HERBALIFE [®] FORMULA 1 SHAKE + 1 FRUIT
	Example:
	 2 scoops (2 tablespoons) Formula 1 Shake Mix + 8 fl. oz. nonfat milk or soymilk + 1 cup strawberries
	OR: 2 PROTEIN UNITS + 2 VEGETABLES + SALAD + 1 GRAIN + 1 FRUIT
	Example:
	 3 ounces chicken or turkey breast, fish, tuna or shellfish on one slice of whole-grain bread
	 AND 1 cup chopped vegetables AND 1 cup tomato juice
	• AND 4 cups of salad greens
	• AND one large orange
P.M. SNACK:	1 PROTEIN SNACK + 1 FRUIT
	 Examples: Herbalife Protein Bar Deluxe + one medium apple
	OR:
	 1 packet Roasted Soy Nuts with Cardia®* Salt + one fresh orange
DINNER:	2 PROTEIN UNITS + 2 VEGETABLES + SALAD + 1 GRAIN + 1 FRUIT Example:
	6 to 8 ounces broiled fish with teriyaki sauce
	 AND 1 cup steamed spinach + 1 cup steamed carrots AND tossed green salad with light dressing
	 AND 1 cup whole-grain pasta AND 1 cup watermelon
	I trademark of Nutrition 21, Inc.

Week 2: Meal Plans; Snacking; Water

FOOD LISTS FOR MEAL PLANNING

Protein Foods

FOOD ITEM	ONE UNIT	CALORIES	PROTEIN (GRAMS)
Egg whites	7 whites	115	25
Cottage cheese, nonfat	1 cup	140	28
Herbalife® Formula 1 Shake Mix + nonfat milk	2 tablespoons Formula 1 Shake Mix + 1 cup nonfat milk	180	18
Beef, lean	3 ounces, cooked weight	145-160	25
Chicken breast	3 ounces, cooked weight	140	25
Turkey breast	3 ounces, cooked weight	135	25
Turkey ham	4 ounces, cooked weight	135	18
Ocean-caught fish	4 ounces, cooked weight	130-170	25-31
Shrimp, crab, lobster	4 ounces, cooked weight	120	22-24
Tuna	4 ounces, water packed	145	27
Scallops	4 ounces, cooked weight	135	25
VEGETARIAN			
Soy Canadian bacon	4 slices	80	21 (varies)
Soy hot dog	2 links	110	22 (varies)
Soy ground round	³ ⁄4 cup	120	24
Soy burgers	2 patties	160	26
Tofu, firm	1/2 cup	180	20 (varies)

LOSSSCHALLENGE

Note: Calorie average is 135 calories per unit.

W E I G H T

W	ee	k :	2:	Me	eal	Ρ	lar	IS;	Sr	na	cki	nç	j; \	Na	te	ſ

Fruits

FOOD ITEM ONE UNIT		CALORIES	FIBER (GRAMS)	
Apple	1 medium	75	3	
Apricots	3 whole	50	3	
Avocado	1/4 average fruit	80	2	
Banana	1 small	100	3	
Blackberries	1 cup	75	8	
Blueberries	1 cup	110	5	
Cantaloupe	1 cup cubed	55	1	
Cherries	20	80	2	
Grapes	1 cup	115	2	
Grapefruit	1⁄2 fruit	40	2	
Honeydew melon	1 cup, cubed	60	1	
Kiwi	1 large	55	3	
Mango	1/2 large	80	3	
Nectarine	1 large	70	2	
Orange	1 large	85	4	
Papaya	1/2 large	75	3	
Peach	1 large	70	3	
Pear	1 medium	100	4	
Pineapple	1 cup, diced	75	2	
Plums	2 small	70	2	
Strawberries	1 cup, sliced	50	4	
Tangerine	1 medium	45	3	
Watermelon	1 cup balls	50	1	

L O S S C H A L L E N G E

Note: Calorie average is 76 calories per unit.

W E I G H T

Week 2: Meal Plans; Snacking; Water				
	Week 2. Meal Plans, Sharking	Water		

Cooked Vegetables

FOOD ITEM	ONE UNIT	CALORIES	FIBER (GRAMS)		
Acorn squash, baked	1 cup	85	6		
Artichoke	1 medium	60	6		
Asparagus	1 cup	45	4		
Beets	1 cup	75	3		
Broccoli	1 cup	45	5		
Brussels sprouts	1 cup	60	4		
Cabbage	1 cup	35	4		
Cauliflower	1 cup	30	3		
Carrots	1 cup	70	5		
Celery, diced	1 cup	20	2		
Chinese cabbage	1 cup	20	3		
Collard greens	1 cup	50	5		
Corn	1 ear	75	2		
Eggplant	1 cup	30	3		
Green beans	1 cup	45	4		
Green peas	1 cup	140	8		
Kale	1 cup	35	3		
Leeks	1 cup	30	1		
Mushrooms	1 cup	40	3		
Mustard greens	1 cup	20	3		
Onion	1 cup	105	4		
Pumpkin	1 cup	50	3		
Red cabbage	1 cup	30	3		
Spinach	1 cup	40	4		
Sweet potato	1 cup	200	4		
Swiss chard	1 cup	20	2		

Week 2: Meal Plans; Snacking; Water				
	Week 2: Meal Plans	; Snacking; Water		

Cooked Vegetables (continued)

FOOD ITEM	ONE UNIT	CALORIES	FIBER (GRAMS)
Tomato juice	1 cup	40	1
Tomato sauce/puree	1 cup	100	5
Tomato soup, made with water	1 cup	85	0
Tomato vegetable juice	1 cup	45	2
Tomatoes	1 cup	70	3
Turnip greens	1 cup	30	5
Winter squash, baked	1 cup	70	7
Zucchini with skin	1 cup	30	3

Note: Calorie average is 56 calories per unit.

Raw Vegetables

FOOD ITEM	ONE UNIT	CALORIES	FIBER (GRAMS)
Cabbage	1 cup	20	2
Carrots	1 cup	50	4
Cucumber	1 cup	15	1
Endive	1 cup	10	2
Pepper, green, chopped	1 cup	30	2
Peppers, red, chopped	1 cup	30	2
Pepper, yellow, chopped	1 cup	30	2
Romaine lettuce	1 cup	10	1
Spinach	1 cup	10	1
Tomatoes, chopped	1 cup	40	2

Note: Calorie average is 25 calories per unit.

Week 2: Meal Plans; Snacking; Water			
	Week 2: Meal Plans: Snackind:	Water	

Starches and Grains

STARCH/GRAIN	SERVING SIZE	CALORIES	FIBER (GRAMS)	PROTEIN (GRAMS)
Beans (black, pinto, etc.)	½ cup, cooked	115-140	5-7	7
Bread (whole grain preferred)	1 slice	80-100	3	3-5
English muffin	1⁄2 muffin	80	1	2
Lentils	½ cup, cooked	115	8	9
Rice (brown preferred)	½ cup, cooked	110	2	3
Pasta (whole grain preferred)	½ cup, cooked	85	2	3
Potato, baked	1⁄2 medium	100		
Rice cakes	2 large	70	1	1
Tortilla, corn	2 tortillas	120	4	2
Cereals				
Bran flakes	³ ⁄4 cup	100	3	5
Oatmeal, cooked	1 cup	130	4	6
Shredded wheat, bite size	³ ⁄4 cup	115	3	4

Note: Calorie average is 100 calories per serving.

Taste Enhancers

FOOD ITEM	SERVING SIZE	CALORIES	FIBER (GRAMS)	FAT (GRAMS)
Cheese, reduced fat	1 ounce	50-80	0	2-5
Cheese, Parmesan	3 tablespoons	80	0	5
Nuts	1/2 ounce	80-100	0	6-11
Olive oil	1 teaspoon	40	0	4
Olives	10 large	50	0	7
Pine nuts, sesame seeds	1 tablespoon	50	1	4-7
Salad dressing, fat-free or low-fat	2 tablespoons	40-80	0	0-2

Note: Calorie average is 65 calories per serving.

W	ee	k :	2:	Me	eal	Ρ	lar	ıs;	Sr	na	cki	nç	j; \	Na	te	r
												Ŭ				

Protein Snacks

FOOD ITEM	SERVING SIZE	CALORIES	PROTEIN (GRAMS)
Cheese, mozzarella, low-fat	1 ounce (1 stick)	70	8
Cottage cheese, nonfat	1/2 cup	70	14
Egg, hard boiled	1	80	4
Herbalife® Protein Bar Deluxe	1 bar	140	10
Herbalife [®] Peach Mango or Wild Berry Beverage Mix	1 packet	70	15
Herbalife® Protein Drink Mix	2 tablespoons in water	110	15
Herbalife [®] Creamy Chicken Soup Mix	1 packet	70	15
Milk, nonfat or 1%	1 cup	90-110	9
Soup, tomato, made with nonfat milk	1 cup	120	6
Soy crisps	1 ounce (about 17 crisps)	110	7
Herbalife [®] Roasted Soy Nuts with Cardia ^{®*} Salt	1 packet	110	11
Yogurt, nonfat, sugar-free	1 six-ounce carton	100	5

Note: Calorie average is 100 calories per serving. *Cardia® is a registered trademark of Nutrition 21, Inc.

W E I G H T C H A L L E N G E LOSS